

Table of Contents	
Section 1 – Introduction	1
Section 2 – The Game	3
Section 3 – The Tournament	12
Section 4 – The Robot	17





## Introduction

## 

This section provides an introduction to *VEX Sack Attack* and the VEX Robotics Competition.

## The VEX Robotics Competition

The world needs the students of today to become the scientists, engineers, and problem solving leaders of tomorrow. The constant breakthroughs in chemistry, medicine, materials and physics reveal a new set of challenges and create an even greater opportunity for problem solving through technology. These problems are not academic; the solutions could help save the world and those technology problem solvers will be the ones to make it possible.

This underscores the dramatic challenge we face: there are not enough high school graduates choosing technology related disciplines in college. This does not reflect a lack of capacity for new students on the part of technical schools and universities, but a lack of interested and qualified applicants. In short, we will not have the people we require in the next generation to solve the problems of tomorrow unless the shortage is directly addressed today. Who will solve the world's next great crisis?

Recognizing this dilemma, scores of organizations are creating programs designed to attract and engage young students in the study of science and technology. Many have found that robotics is a very powerful platform to attract and hold the attention of today's multi-tasking, connected youths. Robotics has strong appeal to this intensely competitive generation and represents the perfect storm of applied physics, mathematics, computer programming, digital prototyping and design, integrated problem solving, teamwork and thought leadership. Students with a previously undiscovered aptitude for STEM (Science, Technology, Engineering, and Math) curriculum are flourishing in growing numbers due to the efforts of schools, volunteer organizations, corporations, and governments internationally.

The VEX Robotics Competition, operated by the Robotics Education and Competition Foundation, is a program that inspires thousands of students worldwide to pursue STEM-related education and career paths. While there are many quality robotics competitions worldwide, the VEX Robotics user community has overwhelmingly demanded *new* challenges that are easy and economical to host and implement.

The VEX Robotics Design System helps takes the inspiration from the competition to the next level. The system is used as a classroom robotics platform designed to nurture creative advancement in robotics and knowledge of STEM education. VEX provides teachers and students with an affordable, robust, and state-of-the-art robotics system suitable for classroom use and the playing field. VEX's innovative use of pre-manufactured and easily formed structural metal, intuitive mechanical parts combined with a powerful range of user-programmable microprocessors for control, leads to infinite design possibilities.

For more information visit <a href="www.vexrobotics.com">www.vexrobotics.com</a>. Follow us on Twitter @VEXRobotics. Like Us on facebook at <a href="www.facebook.com/vexrobotics">www.facebook.com/vexrobotics</a>

Visit RobotEvents.com for more information on the VEX Robotics Competition, including team registration, event listings and results and more.

## VEX Sack Attack - A Primer

VEX Sack Attack is played on a 12 ft x 12 ft foam-mat, surrounded by a sheet-metal and lexan perimeter. There are ten goals of varying height, which teams can score sacks into. The field is divided by the goals, with openings below to allow for robot passage.

For more details and specific game-play rules, please see Section 2 – The Game.

While participating in the VRC *Sack Attack* season, teams will develop many new skills in response to the challenges and obstacles that stand before them. Some problems will be solved by individuals, while others will be handled through interaction with their student teammates and adult mentors. Teams will work together to build a VEX robot to compete in one of many tournaments, where they celebrate their accomplishments with other teams, family and friends. After the season, students come away not only with the accomplishment of building their own competition robot, but with an appreciation of science and technology and how they might use it to positively impact the world around them. In addition, they cultivate life skills such as planning, brainstorming, collaboration, teamwork, and leadership as well as research and technical skills.





## The Game

## 

This section describes the VEX Robotics Competition game, called *VEX Sack Attack*. It also lists the game definitions and game rules.

## **Game Description**

Matches are played on a field set up as illustrated in the figures below. Two *Alliances* – one "red" and one "blue" – composed of two teams each, compete in each *Match*. The object of the game is to attain a higher score than the opposing *Alliance* by *Scoring Sacks* and *Bonus Sacks* in your colored *Floor Goals*, *Troughs* and *High Goal*, and by having the most *Robots* of your color *Parked* at the end of the match.

A bonus is awarded to the Alliance that has the most total points at the end of the Autonomous Period.





Figure 1: Isometric view of the field

**Note:** The illustrations in this section of the manual are only provided to give a general visual understanding of the game.

Teams should refer to the official field specs available in Appendix A for exact field dimensions, a full field BOM, exact details of field construction, and lower cost field options.

There are a total of ninety-eight (98) Sacks and four (4) Bonus Sacks available as Scoring Objects in the game. Each Robot will have one (1) Sack available as a Preload. In addition, each Alliance will have four (4) Sacks available as Driver Control Loads. Eighty-six (86) Sacks and four (4) Bonus Sacks will start at designated locations on the field.



Figures 2 & 3: Overhead views of the field

## Game Definitions

Adult - Anyone not meeting the definition of Student.

Alliance – A pre-assigned grouping of two teams that work together for a given Match.

Alliance Starting Tile – A colored tile (red or blue), which designates the location where Robots must start the match.

Alliance Station - The designated region where the Drivers and Coach must remain during their Match.

Autonomous Period – A 15-second time period in which the Robots operate and react only to sensor inputs and to commands pre-programmed by the team into the onboard Robot control system. Human interaction with the robot is allowed during this period as specified in the game rules.

Bonus Sack – A yellow rectangular shaped cloth Scoring Object filled with plastic and foam pellets with dimensions of 5.5" x 5.5" x 0.75". Each Bonus Sack weighs approximately 0.5 lbs.

Coach – A student or adult mentor designated as the team advisor during the match. Only one (1) of these is allowed per team on the field at any given time.

Disqualification – A penalty applied to a team for a rules violation. A team who is Disqualified in a Qualifying Match receives zero (0) WP and SP. When a team is Disqualified in an Elimination Match the entire Alliance is Disqualified and they receive a loss for the Match. At the head referee's discretion, repeated violations and Disqualifications for a single team may lead to its Disqualification for the entire tournament. Please see Section 3 – The Tournament for further details and associated definitions.

*Driver* – A *Student* team member responsible for operating and controlling the *Robot*. Only two (2) *Drivers* are allowed in the Alliance Station on the field at any given time.

Driver Control Loads – The four (4) Sacks and any unused Preloads available in each Alliance Station to be loaded at any time during the Driver Controlled Period.

*Driver Controlled Period* – The 1:45 (one minute and forty-five second) time period in which the *Drivers* operate the *Robots*.

Entanglement – A robot is considered to have Entangled an opposing robot if it has grabbed or hooked the opponent robot.

Field Element – The foam field tiles, field perimeter, Troughs, High Goals and all supporting structures.

Floor Goal - One of the four (4) Alliance Starting Tiles.

Goal - A Floor Goal, Trough or a High Goal.

High Goal -- One of the two (2) 30" tall, triangular tray shaped field structures (one (1) designated red, one (1) designated blue) into which teams place Scoring Objects.

Match – A Match consists of an Autonomous Period followed by a Driver Controlled Period for a total time of 2:00 (two minutes).

Parked – A robot is considered to be Parked if it is touching one of its own Alliance Starting Tiles at the end of the Match.

*Pinning* – A *Robot* is considered to be *Pinning* an opposing *Robot* if it is inhibiting the movement of an opponent *Robot* while the opposing *Robot* is in contact with the foam playing surface and another *Field Element*.

Preloads – The one (1) Sack each team may load into their Robot prior to each Match. Unused Preloads become Driver Control Loads.

Robot – Anything which has passed inspection that a team places on the field prior to the start of a *Match*.

Sack – A green rectangular shaped cloth Scoring Object filled with plastic and foam pellets with dimensions of 5.5" x 5.5" x 0.75". Each Sack weighs approximately 0.5 lbs.

Scored - A Scoring Object is Scored in a Goal if it meets one of the following criteria.

- 1. A *Scoring Object* is partially within the three-dimensional space defined by the outer edges of a *Trough* or *High Goal*, projected upwards and infinitely perpendicular to the playing field.
  - For a Scoring Object to count under this clause, it must not be touching a Robot of the same color as the Goal
  - b. If a Scoring Object meets the criteria of being in **both** a High Goal and a Trough, it will be Scored only in the High Goal
  - c. If a *Scoring Object* meets the criteria of being in **both** a red and blue *High Goal* OR **both** a red and blue *Trough*, it will be *Scored* in both.
- 2. A Scoring Object is touching a Floor Goal, and not touching any other foam tiles.

For a *Scoring Object* to count under either clause, it must remain in a *Scored* position, if/when all *Robots* were removed from the field. (By removed, we mean removing the robot and its contents from the field. Referees will be instructed to gently pull robots away from the *Goal* if necessary) i.e. The *Scoring Object* must not be supported by the *Robot*.

Scoring Object - A Sack or a Bonus Sack

Student – Anyone enrolled in a pre-college school or home-schooled as part of a pre-college educational curriculum.

*Trapping* – A *Robot* is considered to be trapped if an opposing *Robot* has restricted it into a small, confined area of the field, approximately the size of one foam field tile or less, and has not provided an avenue for escape.

*Trough* – One of the four (4) 18" tall, triangular bin shaped *Field Elements* (two (2) designated red, two (2) designated blue) into which teams place *Scoring Objects*.

# Game Rules Scoring

- A Sack Scored in a Floor Goal is worth one (1) point for the Alliance of the color of the Floor Goal.
- A Sack Scored in a Trough is worth five (5) points for the Alliance of the color of the Trough.
- A Sack Scored in a High Goal is worth ten (10) points for the Alliance of the color of the High Goal.
- A Bonus Sack Scored in a Floor Goal is worth six (6) points for the Alliance of the color of the Floor Goal
- A Bonus Sack Scored in a Trough is worth ten (10) points for the Alliance of the color of the Trough.
- A Bonus Sack Scored in a High Goal is worth fifteen (15) points for the Alliance of the color of the High Goal
- The *Alliance* with the most *Robots Parked* at the end of the match receives ten (10) points.

  o If each *Alliance* has the same amount of *Robots Parked*, no points are awarded.
- At the end of the *Autonomous Period* the *Alliance* with the most points, excluding points for *Parked Robots*, receives a ten (10) point bonus.

## **Safety Rules**

- <S1> If at any time the *Robot* operation or team actions are deemed unsafe or have damaged the *Field Elements* or *Scoring Objects*, by the determination of the referees, the offending team may be *Disqualified*. The *Robot* will require re-inspection before it may again take the field.
- <**S2>** If a *Robot* goes completely out-of-bounds (outside the playing field), it will be disabled for the remainder of the *Match*.

**Note:** The intent is NOT to penalize *Robots* for having mechanisms that inadvertently cross the field border during normal game play.

#### **General Game Rules**

- <G1> When reading and applying the various rules in this document, please remember that common sense always applies in the VEX Robotics Competition.
- <**G2>** At the beginning of a *Match*, each *Robot* must be smaller than a volume of 18 inches wide by 18 inches long by 18 inches tall. An offending *Robot* will be removed from the match at the Head Referee's discretion.
- <G3> Each team shall include up to two *Drivers* and one *Coach*.
- **<G4>** During a *Match*, the *Drivers* and *Coach* must remain in their *Alliance Station*.
- <G5> During the qualification rounds, the red Alliance has the right to place their Robots on the field last. During the elimination rounds, the higher seeded Alliance has the right to place their Robots on the field last. Once a team has placed their Robot on the field, its position cannot be readjusted prior to the match. Robots must be placed on the field promptly. Teams who violate this rule will have their robots randomly repositioned by the referees.
- <G6> Drivers and Coaches are prohibited from making intentional contact with any Scoring Object, Field Element or Robots during a Match, with the exception of the contact specified in <SG4>, <SG5> and <SG6>. Any intentional contact will result in a Disqualification. Accidental contact will not be penalized, unless the contact directly impacts the final outcome of the match. This type of accidental contact will result in a Disqualification.
- <G7> During a *Match*, *Robots* may be operated only by the *Drivers* and/or by software running in the onboard control system. A *Coach* may not touch his/her team's controls anytime during a *Match*. Violations of this rule will result in a warning for minor offenses which do not affect the match. Egregious (match affecting) offenses will result in a *Disqualification*. Teams who receive multiple warnings may also receive a *Disqualification* at the head referee's discretion.
- <**G8>** Scoring Objects that leave the playing field will be promptly returned to the playing field at the location nearest the point at which they exited. Teams who intentionally remove Scoring Objects from the scoring field, while not in the process of scoring or descoring, will be Disqualified.
  - a. Scoring Objects will never be returned to the field in a Scored position.
- <G9> Scores will be calculated for all *Matches* immediately after the *Match* once all objects on the field come to rest.
- <G10> Robots may not intentionally detach parts during any *Match*, or leave mechanisms on the field. If an intentionally detached component or mechanism affects game play the team shall be *Disqualified* at the referee's discretion. Multiple intentional infractions may result in *Disqualification* for the entire competition.

<G11> Strategies aimed solely at the destruction, damage, tipping over, or Entanglement of Robots are not part of the ethos of the VEX Robotics Competition and are not allowed. However, VEX Sack Attack is an interactive game. Some incidental tipping, Entanglement, and damage may occur as a part of normal game play. If the tipping, Entanglement, or damage is ruled to be intentional or egregious, the offending team may be disqualified from that Match. Repeated offenses could result in a team being Disqualified from the remainder of the competition.

VEX Sack Attack is intended to be an offensive game. Teams that partake in solely defensive strategies will undergo extra scrutiny in regards to <G11>. In the case where referees are forced to make a judgment call on interaction between a defensive and offensive Robot, the referees will err on the side of the offensive Robot.

- a. Robots which have expanded horizontally in an effort to obstruct the field will undergo even more scrutiny under <G11>, and will not be protected under <G11>. e.g. If you choose to undertake this type of strategy, your robot should be built to withstand vigorous interaction.
  - i. Furthermore, teams that undertake this type of obstructive strategy would not be protected by <SG3>. e.g. There is no penalty for pinning a "wall-bot"

All teams are responsible for the actions of their *Robots*. This goes for teams who are driving recklessly and potentially causing damage, but also goes for teams who drive around with a small wheel base and arm extended. Teams should design their *Robots* such that they are not tipped over or damaged by minor contact.

- <G12> Robots must be designed to permit easy removal of Scoring Objects from any grasping mechanism without requiring that the Robot have power after the Match.
- <G13> Field tolerances may vary by as much as ±1", so teams must design their *Robots* accordingly.
- <G14> Replays are at the discretion of the event organizer and head referee, and will only be issued in the most extreme circumstances.
- <G15> All teams must adhere to all VEX Robotics Competition Rules as they are written, and must abide by the listed intent of the rules. Every team has the opportunity to ask for official rules interpretations in the VEX Robotics Competition Question & Answer Forum. Any responses in this Q&A forum should be treated as official rulings from the VEX Robotics Competition Game Design Committee, and represent the correct and official interpretation of the VEX Robotics Competition Rules.


There may also be periodic "Team Updates" posted on the *VEX Sack Attack* webpage in the competition section of <a href="https://www.vexrobotics.com">www.vexrobotics.com</a>. These updates are also "official" parts of the *VEX Sack Attack* rules.

The VEX Robotics Competition Question & Answer Forum can be found at <a href="http://www.vexforum.com">www.vexforum.com</a>, or directly at <a href="http://www.vexrobotics.com/sack-attack-qa">http://www.vexrobotics.com/sack-attack-qa</a>.

<G16> All teams are expected to conduct themselves in a respectful and professional manner while competing in VEX Robotics Competition events. If team members are disrespectful or uncivil to event staff, volunteers or fellow competitors, they may be *Disqualified* from their current or upcoming *Match*. It is important to remember that we are all judged based on how we deal with adversity. It is important that we all exhibit maturity and class when dealing with any difficult situations that may present themselves in both the VEX Robotics Competition and life in general.


## VEX Sack Attack Specific Game Rules

<SG1> At the beginning of each *Match*, each *Robot* must be placed such that it is touching one of their colored *Alliance Starting Tiles*, not touching any *Scoring Object* other than those permitted by <SG2> and not touching any other foam field tiles. No more than one *Robot* may start the match on any one *Alliance Starting Tile*. (See figures 4 & 5)



Figures 4 & 5: Two legal starting positions

<SG2> Prior to the start of each *Match*, each *Robot* will have one (1) *Sack* available as a *Preload*. A *Sack* is considered to be legally preloaded if it is touching the *Robot* and not touching a *Field Element*. (See figures 6 & 7) Any unused *Preloads* become *Driver Control Loads*.



Figures 6 & 7: From left to right, legal Preload, illegal Preload

<SG3> A Robot cannot Pin or Trap an opposing Robot for more than five seconds during the Driver Controlled Period. A Pin or Trap is officially over once the Pinning team has moved away from the teams are separated by 2 feet (approximately one (1) foam tile). After ending a Pin or Trap, a team may not Pin or Trap the same Robot again for a duration of 5 seconds. If a referee determines this rule to be violated, the offending Robot will be Disqualified for the match. There is no penalty for Pinning during the Autonomous Period.

<SG4> During the *Autonomous Period*, *Drivers* and *Coaches* may handle their own *Robot* while the *Robot* is in contact with their own *Alliance Starting Tile* (i.e. the tile the *Robot* started the match on), within the following restrictions.

- Drivers and Coaches may only interact with a Robot if it is touching their own Alliance Starting
   Tile and no part of the Robot is touching a gray foam tile, except the interaction allowed in
   SG4ii>
- **ii.** If any part of a *Robot* is touching a grey foam tile, the only interaction that will be allowed is to bring the *Robot* fully into the legal *Alliance Starting Tile*, into a legal position as per <SG4i>
- iii. After any legal interaction with the robot by *Drivers* and *Coaches*, and prior to the robot attempting to score or interact with Game Objects, the robot must be in a position such that it is touching the legal *Alliance Starting Tile* and no part of the *Robot* is touching a gray foam tile; a legal position as per <SG4i>. i.e. Before the *Robot* leaves the *Alliance Starting Tile*, *Drivers* and *Coaches* may not be touching the robot. If *Drivers* and *Coaches* touch the *Robot* again, it must be touching a legal *Alliance Starting Tile* and it must immediately be brought fully back onto the tile.

**Note:** *Robots* that hang over the edge of the *Alliance Starting Tile*, but do not touch any gray foam tiles, are considered to be in legal positions for interaction as per <SG4>

During contact with the *Robot*, the *Drivers* or *Coaches* may not intentionally manipulate or modify the position of any *Scoring Objects* relative to the *Robot's* overall system, either by direct hand contact or indirect contact via the *Robot*. (i.e. it is acceptable to change the orientation of a *Robot* that includes *Scoring Objects* in it as long as the position of the elements relative to the *Robot* is not changed).

*Drivers* or *Coaches* also may not change the configuration of the *Robot* in any way other than in the act of fixing the *Robot* (i.e. it is okay to reposition the robot relative to the field, but it is not okay to manually lift up the *Robot's* arm, unless you are in the act of a repair). Any changes to the *Robot's* configuration performed during the act of repair must be reversed before the *Robot* can leave the *Alliance Starting Tile*.

The intent of this rule is to allow teams to fix *Robots* that are unable to move, to reposition and/or reorient *Robots*, and to activate additional autonomous modes by interacting with the *Robot* via sensors or buttons.

The intent of this rule is not to allow teams to manipulate their *Robot* in such a way that they are controlling the Robot via human contact or creating motions that lead to scoring.

Violations of this rule will result in a warning for minor offenses which do not affect the match. Egregious (match affecting) offenses will result in a *Disqualification*. Teams who receive multiple warnings may also receive a *Disqualification* at the head referee's discretion.

<SG5> During the *Driver Controlled Period*, *Drivers* and *Coaches* may handle their own *Robot* as long as the robot has **never** left the *Alliance Starting Tile*. The intent of this rule is to allow teams to fix *Robots* which were unable to move at the start of the *Match*.

Violations of this rule will result in a warning for minor offenses which do not affect the match. Egregious (match affecting) offenses will result in a *Disqualification*. Teams who receive multiple warnings may also receive a *Disqualification* at the head referee's discretion.

Note: During the handling specified in <SG4> And <SG5> robots may be repositioned, but must be returned to a valid starting position as per <SG1>.


<SG6> Any Scoring Objects introduced during the Match must be either gently placed on a Robot of your own color touching an Alliance Starting Tile or gently placed on an Alliance Starting Tile of your own color. The intent of this rule is to allow teams to introduce objects into play, but not to impart energy on the scoring object which will cause it to end up in a Scored position in a Trough or a High Goal. Violations of this rule will result in a warning for minor offenses which do not affect the match. Egregious (match affecting) offenses will result in a Disqualification. Teams who receive multiple warnings may also receive a Disqualification at the head referee's discretion.

 A Driver or Coach may introduce Driver Control Loads at any point during the Driver Controlled Period.

<SG7> Robots are not permitted to break the plane of their opponents Alliance Starting Tile during the Autonomous Period. Violations of this rule will result in the offending Alliance automatically losing the Autonomous Bonus and the offending Robot being disabled.

<**SG8>** Robots are not permitted to intentionally place *Sacks*, while not in the process of Scoring, on an opposing robot. Violations of this rule will result in a *Disqualification*.

<SG9> Robots may not intentionally grasp, grapple or attach to any Field Elements. Strategies with mechanisms that react against multiple sides of a field element in an effort to latch onto said field element are prohibited. (See figures 8-10) The intent of this rule is to prevent teams from both unintentionally damaging the field, and from anchoring themselves to the field. Violations of this rule will result in a Disqualification.



**Figures 8-10:** From left to right, overhead views of illegal, illegal and legal interactions with field elements as per <SG9>. Black lines represent robot parts; the grey circles represent field elements.





## The Tournament

## Overview Ove

The main challenge of the VEX Robotics Competition will be played in a tournament format. Each tournament will include *Practice*, *Qualifying*, and *Elimination Matches*. After the *Qualifying Matches*, teams will be ranked based

on their performance. The top teams will then participate in the *Elimination Matches* to determine the tournament champions.

## **Tournament Definitions**

Alliance Captain – A student chosen to represent their team during Alliance Selection for the final Elimination Matches.

Alliance Selection - The process of choosing the permanent alliances for the Elimination Matches.

Disqualification – A penalty applied to a team for a rules violation. When a team is disqualified in a *Qualifying Match* they receive zero (0) *WP* and *SP*. When a team is disqualified in an *Elimination Match* the entire alliance is disqualified and they receive a loss for the match.

Elimination Match – A match used to determine the championship alliance. Alliances of three face off in a best two of three series, with two teams playing in each match. The first alliance to win two matches will proceed to the next round.

*Practice Match* – An un-scored match used to provide time for teams to get acquainted to the official playing field.

Qualifying Match – A match used to determine the rankings for the Alliance Selection. Alliances compete to earn Win Points and Strength of Schedule Points.

Strength of Schedule Points (SP) – The second basis of ranking teams. Strength of Schedule Points are awarded in the amount of the score of the losing alliance in a Qualifying Match.

Win Points (WP) – The first basis of ranking teams. Win Points are awarded for winning (two points) and tving (one point) a Qualifying Match.

## **Practice Matches**

At the event *Practice Matches* may be played in the morning during the team registration time until the drivers meeting begins. Every effort will be made to equalize practice time for all teams, but they may be conducted on a first-come, first-served basis. These matches are not scored, and will not affect team ranking.

## **Qualifying Matches**


#### **Schedule**

- The *Qualifying Match* schedule will be available prior to opening ceremonies on the day of competition. This schedule will indicate alliance partners and match pairings. It will also indicate the alliance's color red or blue. For tournaments with multiple fields, the schedule will also indicate which field the match will take place on.
- The *Qualifying Matches* will start immediately after opening ceremonies in accordance with the qualifying match schedule.
- Teams will be randomly assigned an alliance partner to compete against two randomly assigned opponents in each Qualifying Match.

- All teams will be scored on the same number of Qualifying Matches.
- In some cases, a team will be asked to play in an additional *Qualifying Match*, but will not receive credit for playing this extra match.

#### Rankings

- At the conclusion of each match, Win Points (WP) will be issued:
  - Winning teams of a Qualifying Match receive two (2) WP
  - o Losing teams of a Qualifying Match receive zero (0) WP
  - o If a Qualifying Match ends in a tie, all four teams receive one (1) WP
  - o If a team is Disqualified they receive zero (0) WP
- All teams in each Qualifying Match will also receive Strength of Schedule Points (SP).
  - o The number of SP assigned for each match, is that of the losing alliance's score.
  - o In the event of a tie, both alliances will receive the same *SP* (equal to the tie score).
  - o If a team is disqualified they receive zero (0) SP
  - If both teams on an alliance are *Disqualified*, the teams on the winning Alliance will be awarded their own score as their *SP* for that match.
- For a *Qualifying Match*, if **no** member of a team is present in the driver station at the start of a match, that team is declared a "no show" and will receive zero (0) *WP* and zero (0) *SP*. A "no show" is treated exactly the same as a *Disqualification*.



## **Elimination Matches**


- The *Alliance Selection* process will consist of two rounds of selection, such that eight alliance captains will form elimination alliances consisting of three teams.
- These eight alliances will participate in a tournament to determine the event champions.
- If a team is Disqualified during an Elimination Match, then their entire alliance is Disqualified, and the
  match will be recorded as a loss.

#### **Alliance Selection Process**

- · Every team will choose a student to act as a team representative.
  - These student representatives will proceed to the playing field at the designated time to represent their teams in the Alliance Selection.
- There will be eight alliances formed in the Alliance Selection.
- In order of tournament ranking, the student representative of the highest ranked team not already in an alliance will be asked to step forward as an *Alliance Captain* to invite another available team to join their alliance.
- A team is available if they are not already part of an alliance, or have not already declined an alliance invitation.
  - o If the team accepts, it is moved into that alliance.
  - If a team declines an invitation, they CANNOT be invited into another alliance, but are still available to select their own alliance if the opportunity arises.
  - If a team declines, the Alliance Captain from the inviting team must then extend another invitation.
- This process will continue until all eight Alliance Captains have been designated and chosen one alliance partner.
- The same method is used for each *Alliance Captain*'s second choice. Teams will select in the same order they did in the first round. Any teams remaining after alliance eight makes their second choice will not compete in the *Elimination Matches*.
- Some smaller events may choose to use a different alliance format to better suit the number of teams, please see the event modification section of this document for more details.

#### Match Ladder

The Elimination Matches will play in a ladder format as shown below.



## **Elimination Scoring**

In the elimination rounds, teams do not get *Win Points*; they get a win, loss or tie. Within each bracket of the Elimination Match Ladder, matches will be played to determine which alliance advances, as follows:

- The first alliance to win two matches advances.
- Any tied matches will be replayed until one alliance has two wins, and advances.

## **Tournament Rules**

<T01> Referees have ultimate authority during the competition. Their rulings are final.

- a. The referees will not review any recorded replays.
- b. Any questions for the referees must be brought forward by a student drive team member within the time period of two (2) qualifying matches or immediately after the score is announced of an elimination match.

<T02> The only people from a team permitted by the playing field are the three drive team members who are identified by the drive team badges. These badges are interchangeable but not during a match.

<T03> During matches, two teams from an alliance will play on the field. Any team which sits out the first match in an elimination series, must play in the second match, with no exceptions. In the third and any subsequent matches, any two of the three teams may play. Prior to each *Elimination Match*, the *Alliance Captain* must let the referee know which two teams will be playing in the upcoming match.

<T04> There are no time outs in the qualifying rounds; in the elimination rounds, each alliance will be allotted ONE time out of no more than three minutes, as permitted by the head referee. The matches must progress according to schedule.

- a. If a robot cannot report for a match, at least one member of the team should report to the field for the match.
- <**T05>** All team members, including coaches, **must** wear safety glasses or glasses with side shields while in the pit or alliance stations during matches. While in the pit area it is highly recommended that all team members wear safety glasses.


## Event Modifications

**Small Tournaments (Level 1 Tournaments):** In the case that an event has fewer than 24 teams (the requisite amount to have eight full alliances), tournaments may be played as follows:

- If there are between 18 and 23 teams at a tournament
  - Alliances will still consist of three teams
  - o The number of alliances will be equal to the amount of teams divided by three, less any remainder. (e.g. If there are 19 teams,  $19/3 = 6.33 \rightarrow 6$  picking teams)
- If there are 17 or fewer teams
  - o Alliances will consist of two teams
  - o The number of alliances will be equal to the amount of teams divided by two, less any remainder. (e.g. If there are 13 teams,  $13/2 = 6.5 \rightarrow 6$  picking teams)
  - Some tournaments of this size may choose to use unbalanced alliances; having one alliance of 3 teams to allow all teams to participate in the elimination rounds. (e.g. If there are 17 teams, 7 alliances of 2 and 1 alliance of 3). Three team alliances must still adhere to <T03> despite competing against other 2 team alliances.
    - If a tournament is using this format, alliances should be selected as per usual until each alliance has two teams. The remaining team would then be added to the lowest ranked alliance. (e.g. 7<sup>th</sup> is lower ranked than 6<sup>th</sup>)
- The match ladder follows the same format as a full tournament, with byes being awarded when there
  is no applicable alliance. (e.g. If there are seven alliances, there would be no 8<sup>th</sup> alliance, thereby
  awarding a bye to the 1<sup>st</sup> alliance in the quarter-finals.)

**Medium Tournaments (Level 2 Tournaments and above):** For all tournaments with at least 24 teams, tournaments may be played as follows:

- The standard format of 8 Alliances of 3 teams
- 12 Alliances of 2 teams
  - This setup is recommended for tournaments that do not have enough qualifying spots to qualify an entire three team alliance for the World Championship
  - The elimination bracket for a 12 alliance tournament would play out as follows:



**Field Height:** At many tournaments the playing field will be placed on the floor. Some tournament organizers may choose to elevate the playing fields by up to 36". For safety reasons, no drive team members will be allowed to stand on any sort of object during a match, despite the presence of raised fields.





## The Robot

## **Overview**

This section provides rules and requirements for the design and construction of your robot. A VEX Robotics Competition robot is a remotely operated and/or autonomous vehicle designed and built by a registered VEX Robotics Competition

student team to perform specific tasks when competing in *VEX Sack Attack*. Prior to competing at each event, all robots will have to pass an inspection. Refer to Appendix D for the Robot Inspection Guidelines and the Inspection Checklist.

## **Robot Rules**

There are specific rules and limitations that apply to the design and construction of your robot. Please ensure that you are familiar with each of these robot rules before proceeding with robot design.

<R1> Only one (1) robot will be allowed to compete per team in the VEX Robotics Competition. Though it is expected that teams will make changes to their robot at the competition, a team is limited to only one (1) robot. The VEX Robotics Design System is intended to be a mobile robotics design platform. As such, a VEX robot, for the purposes of the VRC, has the following subsystems:

**Subsystem 1:** Mobile robotic base including wheels, tracks, legs, or any other mechanism that allows the robot to navigate the majority of the flat playing field surface.

**Subsystem 2:** Power and control system that includes a VEX legal battery, a VEX control system, and associated motors for the mobile robotic base.

**Subsystem 3:** Additional mechanisms (and associated motors) that allow manipulation of game objects or navigation of field obstacles.

Given the above definitions, a minimum robot for use in any VRC event (including skills challenges) must consist of 1 and 2 above. Thus if you are swapping out an entire subsystem of either item 1 or 2, you have now created a second robot and are no longer legal.

- a. Teams may not compete with one robot, while a second is being modified or assembled.
- b. Teams may not switch back and forth between multiple robots during a competition.

<R2> Every robot will be required to pass a full inspection before being cleared to compete. This inspection will ensure that all robot rules and regulations are met. Initial inspections will take place during team registration/practice time.

- a. If significant changes are made to a robot, it must be re-inspected before it will be allowed to compete.
- b. All robot configurations must be inspected before being used in competition.
- c. Teams may be requested to submit to random spot-inspections by event personnel. Refusal to submit will result in disqualification.
- d. Referees or inspectors may decide that a robot is in violation of the rules. In this event, the team in violation will be disqualified and the robot will be barred from the playing field until it passes re-inspection.

For further information on the inspection process please refer to Appendix D, Robot Inspection Guidelines

<R3> The following types of mechanisms and components are NOT allowed:

- a. Those that could potentially damage playing field components.
- b. Those that could potentially damage other competing robots.
- c. Those that pose an unnecessary risk of entanglement.

<R4> At the beginning of any match, robots must be smaller than 18" x 18" x 18".

- a. During inspections, robots will be measured in one of two ways
  - i. Robots will be placed into a "sizing box" which has interior dimensions matching the above size constraints. To pass inspection, a robot must fit within the box without touching the box walls or ceiling.
  - ii. Robots will be sized using a VRC Robot Sizing Tool. Robots will be placed on the base plate and must not touch the measurement slide as it is passed over the base plate. Please see <a href="http://www.vexrobotics.com/276-2086.html">http://www.vexrobotics.com/276-2086.html</a> for a visual reference
- b. Robots may expand beyond their starting size constraints after the start of a match.
- c. Any restraints used to maintain starting size (i.e. zip ties, rubber bands, etc) MUST remain attached to the robot for the duration of the match.

<R5> Robots may be built ONLY from Official **Robot** Components from the VEX Robotics Design System unless otherwise specifically noted within these rules.


- a. During inspections if there is a question about whether something is an official VEX component, a team will be required to provide documentation to an inspector, which proves the component's source. Such types of documentation include receipts, part numbers, or other printed documentation.
- b. Only the VEX Robotics Design System Components specifically designed to be used for Robot construction are allowed. Using additional components outside their typical purpose is against the intent of the rule (i.e. please don't try using VEX apparel, competition support materials, packaging or other non-robot products on a VEX Robotics Competition Robot).
- c. Products from the VEXpro product line cannot be used for robot construction. Products from the VEXpro line which are also cross listed as part of the VEX EDR product are legal.
- d. Official Robotics Components from the VEX Robotics Design System which have been discontinued are still legal for competition use. However teams must be cognizant of <R5a>

<R6> Official VEX products are ONLY available from VEX & Official VEX Resellers. To determine whether a product is "official" or not, consult <a href="www.VEXrobotics.com">www.VEXrobotics.com</a>.

<R7> Robots are allowed the following additional "non-VEX" components:

- a. Any material strictly used as a color filter or a color marker for a VEX Light Sensor.
- b. Any parts which are **identical** to legal VEX parts. For the purposes of this rule, products which are identical in all ways except for color are permissible. Note: It is up to inspectors to determine whether a component is "identical" to an official VEX component.
- c. Any #4, #6, #8, M2, M2.5, M3 or M4 screw up to 2" long, and any commercially available nut to fit these screws.
- d. Teams may add non-functional decorations provided that these do not affect the robot performance in any significant way or affect the outcome of the match. These decorations must be in the spirit of the competition. Inspectors will have final say in what is considered "nonfunctional".
  - i. Anodizing and painting of parts would be considered a legal nonfunctional decoration
  - ii. Any guards or decals must be backed by legal materials that provide the same functionality. i.e. If your robot has a giant decal that prevents *Sacks* from falling out of the robot, the decal must be backed by VEX material that also prevents the *Sacks* from falling out.
  - iii. If using the VEX speaker (Part #276-1504), the chosen audio must not be distracting and must be in good taste. The Head Inspector and Head Referee will make the final decision on the appropriateness of the audio
- e. Any non-aerosol based grease, when used in **extreme** moderation on surfaces and locations that do NOT come into contact with the playing field walls, foam field surface, game objects, or other robots.
- f. Non shattering plastic from the following list; polycarbonate, acetel monopolymer (Delrin), acetal copolymer (Acetron GP), POM (acetal), ABS, PEEK, PET, HDPE, LDPE, Nylon (all grades), Polypropylene, FEP; as cut from a single 12" x 24" sheet up to 0.063" thick.
  - Plastic can be mechanically altered by cutting, drilling or bending etc., but it cannot be chemically treated, melted or cast. Teams may heat the polycarbonate to aid in bending.

- g. A small amount of tape may be used for the following purposes:
  - i. For the sole purpose of securing any connection between the ends of two (2) VEX cables.
  - ii. For labeling wires and motors.
  - iii. Teflon tape solely for the purposes of preventing leaks may be used on the threaded portions of pneumatic fittings.
  - iv. For securing and retaining a VEXnet key to the Cortex Microcontroller. Using tape in this manner is highly recommended to ensure a robust connection.
- h. Hot glue for securing cable connections
- j. A USB extension cable may be used for the sole purpose of remote mounting of a VEXnet key. The key must be mounted in the following manner. (See the below image for reference)
  - i. The VEXnet key must be mounted such that no metal is touching the key above the VEXnet logo.
  - ii. No metal may be within 2" of the top of the VEXnet key.



Space restrictions on the remote mounting of VEXnet keys.

<R8> Additional VEX Robotics Design System Components that are released during the competition season are considered legal for use.

a. Some "new" components may have certain restrictions placed on them upon their release. These restrictions will be documented in a Team Update. Team Updates will be posted to the "VEX Sack Attack" home page in the Competition section of www.VEXrobotics.com

<R9> Robots must use ONLY one (1) VEX EDR Microcontroller.

- a. Examples of VEX EDR Microcontrollers are the VEX v.5 PIC Microcontroller and the VEX Cortex Microcontroller.
- Microcontrollers that are part of other VEX product lines such as VEXpro or VEX RCR are not allowed.

<R10> Robots must ONLY utilize the VEXnet system for all robot communication.

- a. VEX 75Mhz Crystal Radios are prohibited. (Some events may allow the use of 75Mhz Crystal Radios, please see the Special Event Rule Modifications later in this section.)
- b. Electronics from the VEX-RCR product line are prohibited including all VEXplorer electronics.
- c. A VEXnet Joystick may only be used in conjunction with a Cortex Microcontroller. A VEXnet upgraded 75MHz Transmitter may only be used in conjunction with a PIC Microcontroller. Mixing and matching VEXnet transmitters and receivers is prohibited.

<R11> Robots may use up to ten (10) VEX EDR motors or VEX Servos (Any combination, up to ten)

- a. 2-Wire Motors must be controlled by a 2-Wire Motor Port, either directly on a VEX Microcontroller, or on a "VEX Motor Controller 29" module.
- b. Teams may NOT use multiple 2-wire Motor Ports, 3-wire PWM Motor Ports, or Motor Controller 29 modules on a single motor.

<R12> A maximum of one (1) VEX Y-cable can be used per Motor Port of the Microcontroller or Power Expander. (You cannot "Y off a Y" to have more than two (2) motors controlled by the same Motor Port.)

- a. Teams using the Cortex Microcontroller can only power one (1) 2-wire Motor per each of the two 2-wire motor ports on the Microcontroller. It is illegal to "Y" off a 2-wire Motor Port.
- b. Teams may not "Y" off a Motor Controller 29

<R13> The only allowable sources of electrical power for a VEX Robotics Competition Robot is any single (1) VEX 7.2V Robot Battery Pack of any type, unless the robot is utilizing the VEX Power Expander, and a single (1) 9V backup battery. Robots utilizing the VEX Power Expander can use a second (2) VEX 7.2V Robot Battery of any type.

- a. Additional batteries cannot be used on the robot (even ones that aren't connected).
- b. Robots are permitted to use a maximum of one (1) VEX Power Expander
- c. To ensure reliable wireless communication, it is required that all teams connect a charged 9V Backup battery to their VEXnet system using the VEXnet Backup Battery Holder (276-2243).
- d. Any VEX 7.2V Battery Pack is legal, in the quantities described above.

<R14> No more than two VEX hand-held transmitters may control a single robot during the tournament. No modification of these transmitters is allowed of ANY kind.

a. No other methods of controlling the robot (light, sound, etc) are permissible.

<R15> Parts may NOT be modified as follows:

- Motors, extension cords, sensors, controllers, battery packs, and any other electrical component of the VEX Robotics Design System may NOT be altered from their original state in ANY way.
  - Internal or external mechanical repairs of VEX Limit and Bumper switches are permitted
     Using components from these devices in other applications is prohibited
  - External wires on VEX electrical components may be repaired by soldering, using
    twist/crimp connectors, electrical tape or shrink tubing such that the original functionality /
    length is not modified in any way. Wire used in repairs must be identical to VEX wire.
     Teams may make these repairs at their own risk; incorrect wiring may have
    undesired results.
  - Teams may change or replace the gears in the "2-Wire 393" or "2-Wire 269" motors, with the corresponding official VEX Replacement Gears
- b. Welding, soldering, brazing, gluing, or attaching in any way that is not provided within the VEX Robotics Design System will NOT be allowed.
  - Mechanical fasteners may be secured using Loctite or a similar thread-locking product.
     This may be used for securing hardware ONLY.
  - Teams are permitted to fuse/melt the end of the 1/8" nylon rope to prevent fraying
  - The gluing permitted by <R7h> is an exception to this rule.

<R16> The Robot on/off switch must be accessible without moving or lifting the robot. The Robot Microcontroller lights should also be visible by competition personnel to assist in diagnosing robot problems.

<R17> Teams must bring their robots to the field prepared to play. Teams who use VEX pneumatics must have their systems charged before they place the robot on the field.

<R18> To participate in an official VEX Robotics Competition Tournament a team must first register on <a href="robotevents.com">robotevents.com</a>. Upon registering they will receive their VEX Team Identification Number (VEX Team ID#) and a welcome kit containing VEX Team Identification Number Plates. Every robot should have their VEX Team ID# Plates displayed on a minimum of 2-opposing sides.


- a. The VEX Team Identification Number Plates are considered a non-functional decoration, and cannot be used as a functional part of the robot.
- b. These number plates must fulfill all robot rules (i.e. they must fit within the 18" cube per <R4>, they cannot cause entanglement, etc.)

<R19> Robots must include a mounting device to securely hold one VEX Robot Identification Flag throughout an entire match.

- a. The VEX Robot Identification Flags are considered a non-functional decoration, and cannot be used as a functional part of the robot.
- b. These flags must fulfill all robot rules (i.e. they must fit within the 18" cube per <R4>, they cannot cause entanglement, etc.)

Notes on VEX Robot Identification Flags:

- The flags will be issued to teams in their VEX Robotics Competition registration materials.
- These flags may also be available at some events
- Replacement and extra flags are available for purchase at www.vexrobotics.com
- For flag details please refer to the following diagram.
- VEX Threaded Standoffs work as simple flag holders, as shown below.



<R20> During the Autonomous Period human operators will not be allowed to use their hand-held controllers. As such, teams are responsible for programming their robot with custom software if they want to perform in Autonomous mode.

For more information on this, teams should consult the help guides produced by the developers of their chosen programming software.

## Special Event Rule Modifications

The rules listed in this section represent the way the game will be played at ALL VEX Robotics Competition "Championship" Events. We know that some events will choose to modify the rules slightly to suit unique circumstances. In particular, we expect some events will make the following rule exceptions:

- a. Utilize the VEX 75 Mhz Crystal Radio Transmitter & Receiver instead of or in conjunction with the VEXnet 802.11g Wireless link.
- b. Allow AA batteries to power the robot instead of a VEX 7.2V Battery Pack

If an event makes the changes they need to inform all attending teams. It is especially important that any 75 Mhz events make sure their teams are using the correct communication type.